

NEW! **TERMINAL JUNCTION BOXES - IP68 2 POLE**

WJB-2068-2P

2 Pole IP68
Waterproof
Junction Box



2 x M20 IP68 Glands

NEW! **TERMINAL JUNCTION BOXES - IP68 3 POLE**

WJB-2068-3P

3 Pole IP68
Waterproof
Junction Box



1 x M16 IP68 Glands
2 x M20 IP68 Glands

NEW! **TERMINAL JUNCTION BOXES - IP68 4 POLE**

WJB-2068-4P

4 Pole IP68
Waterproof
Junction Box



2 x M16 IP68 Glands
2 x M20 IP68 Glands

NEW! **TERMINAL JUNCTION BOXES - IP68 5 POLE**

WJB-2068-5P

5 Pole IP68
Waterproof
Junction Box



3 x M16 IP68 Glands
2 x M20 IP68 Glands

NEW! **TERMINAL JUNCTION BOXES - IP68 6 POLE**

WJB-2068-6P

6 Pole IP68
Waterproof
Junction Box



4 x M16 IP68 Glands
2 x M20 IP68 Glands

WJB2068- (2P/3P/4P/5P/6P) SPECIFICATIONS

- Contacts: 2 to 6
- Voltage rating: 400V
- Current rating: 32A
- Wire gauge: $\leq 0.5\text{mm}^2 - 4\text{mm}^2$
- Cable OD: Max. M16 $\leq 7\text{mm}^2 - 10\text{mm}^2$
M20 $\leq 9\text{mm}^2 - 12\text{mm}^2$
- Operating Rating: -40°C To $+105^\circ\text{C}$
- Material: PA66 Nylon, Brass, Silicone
- IP Rating: IP68



FLAME RETARDANT UL94-V2



TERMINAL JUNCTION BOXES - IP54 -230 / 400VAC





D9025Z 7 Entry Junction Box
2,5mm² -20A & 4mm² - 25A
Conductor ø 6 - 13mm



TERMINAL JUNCTION BOXES - IP54 -230 / 400VAC





D9045Z 7 Entry Junction Box
4mm² -25A & 6mm² - 32A
Conductor ø 9 - 17mm



TERMINAL JUNCTION BOXES - IP54 -230 / 400VAC





K9065Z 6 Entry Junction Box
6mm² -32A & 10mm² - 50A
Conductor ø 9 - 23mm



TERMINAL JUNCTION BOXES - IP54 -230 / 400VAC






K9105Z 10 Entry Junction Box
10mm² -50A & 16mm² - 65A
Conductor ø 9 - 23mm



TERMINAL JUNCTION BOXES - IP54 -230 / 400VAC



K9255Z 10 Entry Junction Box
25mm² -85A & 35mm² - 100A
Conductor ø 17 - 30mm



TYPICAL APPLICATION



WEATHERPROOF GLANDS NOT INCLUDED

ENCLOSURES - GREY LID - IP44



GR17000
Junction Box
Ø 83 x 45

ENCLOSURES - GREY LID - IP65



GR17004
Enclosure - Grey Lid
100 x 100 x 60

ENCLOSURES - GREY LID - IP65



GR17008
Enclosure - Grey Lid
150 x 110 x 75

ENCLOSURES - GREY LID - IP65



GR17011
Enclosure - Grey Lid
190 x 140 x 75

ENCLOSURES - GREY LID - IP65




GR17013
Enclosure - Grey Lid
170 x 170 x 120

ENCLOSURES - GREY LID - IP65



GR17015
Enclosure - Grey Lid
190 x 140 x 140

ENCLOSURES - GREY LID - IP65




GR17240
Enclosure - Grey Lid
240 x 190 x 120

ENCLOSURES - GREY LID - IP65



GR17242
Enclosure - Grey Lid
310 x 240 x 120

ENCLOSURES - GREY LID - IP65




GR17244
Enclosure - Grey Lid
380 x 300 x 120

ENCLOSURES - GREY LID - IP65




GR17246
Enclosure - Grey Lid
380 x 300 x 180

ENCLOSURES - GREY LID - IP65




GR17250
Enclosure - Grey Lid
460 x 380 x 180

ENCLOSURES - TRANSPARENT LID - IP65



GR17211
Enclosure - Transparent Lid
190 x 140 x 75

ENCLOSURES - TRANSPARENT LID - IP65



GR17212
Enclosure - Transparent Lid
170 x 170 x 75

ENCLOSURES - TRANSPARENT LID - IP65



GR17215
Enclosure - Transparent Lid
190 x 140 x 140

ENCLOSURES - TRANSPARENT LID - IP65



GR17286
Enclosure - Transparent Lid
380 x 300 x 120

ENCLOSURES - TRANSPARENT LID - IP65



GR17288
Enclosure - Transparent Lid
380 x 300 x 180

ENCLOSURES - TRANSPARENT LID - IP65



GR17292
Enclosure - Transparent Lid
460 x 380 x 180



STEPPED GLAND JUNCTION BOXES - NO TERMINALS

SC50	Round stepped gland junction box	ø 50 x 50
SC80	Round stepped gland junction box	ø 80 x 50
SC885	Square stepped gland junction box	80 x 80 x 50
SC117	Square stepped gland junction box	100 x 100 x 70
SC15117	Stepped gland junction box	150 x 110 x 70
SC15157	Square Stepped gland junction box	150 x 150 x 70
SC20158	Stepped gland junction box	200 x 155 x 80
SC20107	Stepped gland junction box	200 x 100 x 70
SC20208	Square Stepped gland junction box	200 x 200 x 80
SC25208	Stepped gland junction box	250 x 200 x 80
SC30251	Stepped gland junction box	300 x 250 x 120
SC40351	Stepped gland junction box	400 x 350 x 120



PLASTIC ENCLOSURES - GREY LID - IP56 - NO CHASSIS PLATE

BX - 001	ABS Enclosure - Standard grey lid	100 x 100 x 70
BX - 002	ABS Enclosure - Standard grey lid	100 x 100 x 90
BX - 003	ABS Enclosure - Standard grey lid	190 x 140 x 90
BX - 004	ABS Enclosure - Deep grey lid	190 x 140 x 135
BX - 005	ABS Enclosure - Standard grey lid	240 x 190 x 100
BX - 006	ABS Enclosure - Deep grey lid	240 x 190 x 155

PLASTIC ENCLOSURES - TRANSPARENT LID - IP56 - NO CHASSIS PLATE

BX - 001T	ABS Enclosure - Standard transparent lid	100 x 100 x 70
BX - 002T	ABS Enclosure - Standard transparent lid	100 x 100 x 90
BX - 003T	ABS Enclosure - Standard transparent lid	190 x 140 x 90
BX - 004T	ABS Enclosure - Deep transparent lid	190 x 140 x 135
BX - 005T	ABS Enclosure - Standard transparent lid	240 x 190 x 100

CHASSIS PLATE FOR PLASTIC ENCLOSURES (BX TYPE)

CP - 003	Galvanised Chassis Plate	190 x 140
CP - 005	Galvanised Chassis Plate	240 x 190



PVC ENCLOSURES - GREY - IP66

MCE-808060	Grey PVC IP66 Enclosure	80x80x60
MCE-101075	Grey PVC IP66 Enclosure	100x100x75



PLASTIC ENCLOSURES - GREY LID - IP66 COMPLETE WITH CHASSIS PLATE

MCE-138070	Plastic Enclosure - Standard Grey	130 x 80 x 70
MCE-168090	Plastic Enclosure - Standard Grey	160 x 80 x 90
MCE-121210	Plastic Enclosure - Standard Grey	125 x 125 x 100
MCE-201510	Plastic Enclosure - Standard Grey	200 x 150 x 100
MCE-201513	Plastic Enclosure - Standard Grey	200 x 150 x 130
MCE-202010	Plastic Enclosure - Standard Grey	200 x 200 x 100
MCE-202013	Plastic Enclosure - Standard Grey	200 x 200 x 130



PLASTIC ENCLOSURES - GREY LID - IP66 COMPLETE WITH CHASSIS PLATE

MCE-281913	Plastic Enclosure - Standard Grey	280 x 190 x 130
MCE-281918	Plastic Enclosure - Standard Grey	280 x 190 x 180
MCE-282813	Plastic Enclosure - Standard Grey	280 x 280 x 130
MCE-282818	Plastic Enclosure - Standard Grey	280 x 280 x 180
MCE-342813	Plastic Enclosure - Standard Grey	340 x 280 x 130
MCE-342818	Plastic Enclosure - Standard Grey	340 x 280 x 180
MCE-382813	Plastic Enclosure - Standard Grey	380 x 280 x 130
MCE-382818	Plastic Enclosure - Standard Grey	380 x 280 x 180
MCE-563818	Plastic Enclosure - Standard Grey	560 x 380 x 180



POLYESTER IP65 SURFACE MOUNTING ENCLOSURE COMPLETE WITH CHASSIS PLATE

MCE-403020	Polyester Enclosure - Standard Grey	400 x 300 x 200
MCE-504020	Polyester Enclosure - Standard Grey	500 x 400 x 200
MCE-605023	Polyester Enclosure - Standard Grey	600 x 500 x 230
MCE-806030	Polyester Enclosure - Standard Grey	800 x 600 x 300



POLYESTER IP65 SURFACE MOUNTING ENCLOSURE COMPLETE WITH CHASSIS PLATE & PLEXI GLASS DOOR

MCE-403020-CD	Standard Grey & Plexi Glass door	400 x 300 x 200
MCE-504020-CD	Standard Grey & Plexi Glass door	500 x 400 x 200
MCE-605023-CD	Standard Grey & Plexi Glass door	600 x 500 x 230
MCE-806030-CD	Standard Grey & Plexi Glass door	800 x 600 x 300



POLYESTER IP65 SURFACE MOUNTING ENCLOSURE COMPLETE WITH CHASSIS PLATE & CIRCUIT BREAKER INNER DOOR

MCE-403020-SOCB	Polyester Enclosure - 2 x 12 Way	400 x 300 x 200
MCE-504020-SOCB	Polyester Enclosure - 3 x 12 Way	500 x 400 x 200
MCE-605023-SOCB	Polyester Enclosure - 4 x 12 Way	600 x 500 x 230
MCE-806030-SOCB	Polyester Enclosure - 5 x 12 Way	800 x 600 x 300



POLYESTER IP65 SURFACE MOUNTING ENCLOSURE COMPLETE WITH CHASSIS PLATE & SOLID INNER DOOR

MCE-403020-SOSI	Polyester Enclosure - Standard Grey	400 x 300 x 200
MCE-504020-SOSI	Polyester Enclosure - Standard Grey	500 x 400 x 200
MCE-605023-SOSI	Polyester Enclosure - Standard Grey	600 x 500 x 230
MCE-806030-SOSI	Polyester Enclosure - Standard Grey	800 x 600 x 300



POLYESTER IP65 SURFACE MOUNTING ENCLOSURE COMPLETE WITH CHASSIS PLATE, PLEXI GLASS DOOR & CIRCUIT BREAKER INNER DOOR

MCE-403020-CDCB	Polyester Enclosure - 2 x 12 Way	400 x 300 x 200
MCE-504020-CDCB	Polyester Enclosure - 3 x 12 Way	500 x 400 x 200
MCE-605023-CDCB	Polyester Enclosure - 4 x 12 Way	600 x 500 x 230
MCE-806030-CDCB	Polyester Enclosure - 5 x 12 Way	800 x 600 x 300



POLYESTER IP65 SURFACE MOUNTING ENCLOSURE COMPLETE WITH CHASSIS PLATE, PLEXI GASS DOOR & SOLID INNER DOOR

MCE-403020-CDSI	Polyester Enclosure - Standard Grey	400 x 300 x 200
MCE-504020-CDSI	Polyester Enclosure - Standard Grey	500 x 400 x 200
MCE-605023-CDSI	Polyester Enclosure - Standard Grey	600 x 500 x 230
MCE-806030-CDSI	Polyester Enclosure - Standard Grey	800 x 600 x 300

- Powder coated, UV resistant mild steel enclosures.
- 1,6mm Steel thickness. • Available in Orange or Grey.
- Complete with accessories. **Inner door kits to be ordered separately.** • KEMA Approved.

Part Number	Dimensions	Colours
-------------	------------	---------

IP56 MILD STEEL SURFACE MOUNTING ENCLOSURES

MCE-101	250 x 200 x 150	Orange / Grey
MCE-102	300 x 250 x 150	Orange / Grey
MCE-103	300 x 250 x 200	Orange / Grey
MCE-104	300 x 300 x 150	Orange / Grey
MCE-105	300 x 300 x 200	Orange / Grey
MCE-107	400 x 300 x 200	Orange / Grey
MCE-108	400 x 400 x 200	Orange / Grey
MCE-111	500 x 400 x 250	Orange / Grey
MCE-114	600 x 400 x 250	Orange / Grey
MCE-117	600 x 500 x 250	Orange / Grey
MCE-119	700 x 500 x 250	Orange / Grey
MCE-122	800 x 600 x 250	Orange / Grey
MCE-123	800 x 600 x 350	Orange / Grey
MCE-124	1000 x 600 x 250	Orange / Grey
MCE-125	1000 x 600 x 300	Orange / Grey
MCE-126	1000 x 800 x 250	Orange / Grey
MCE-127	1000 x 800 x 300	Orange / Grey
MCE-128	1000 x 800 x 350	Orange / Grey
MCE-129	1200 x 800 x 350	Orange / Grey

Complete with chassis plate and wall brackets

MCCB IP65 MILD STEEL SURFACE MOUNTING ENCLOSURE (FOR ONESTO KCM1 MCCB'S)

KCM1-100-ENC	300 x 250 x 150	Orange
KCM1-200-ENC	400 x 250 x 150	Orange
KCM1-400-ENC	600 x 400 x 200	Orange
KCM1-630-ENC	700 x 500 x 200	Orange

Complete with chassis plate and wall brackets

SPARE CHASSIS PLATE - GALVANISED STEEL

MCE-103-CP	Spare Chassis plate	Fits MCE-102 & 103
MCE-105-CP	Spare Chassis plate	Fits MCE-104 & 105
MCE-107-CP	Spare Chassis plate	Fits MCE-107
MCE-108-CP	Spare Chassis plate	Fits MCE-108
MCE-111-CP	Spare Chassis plate	Fits MCE-111
MCE-114-CP	Spare Chassis plate	Fits MCE-114
MCE-117-CP	Spare Chassis plate	Fits MCE-117
MCE-119-CP	Spare Chassis plate	Fits MCE-119
MCE-122-CP	Spare Chassis plate	Fits MCE-122 & 123
MCE-124-CP	Spare Chassis plate	Fits MCE-124 & 125
MCE-126-CP	Spare Chassis plate	Fits MCE-126, 127 & 128
MCE-129-CP	Spare Chassis plate	Fits MCE-129

SPARE OUTER DOOR - ORANGE

MCE-103-O-D	Spare Outer Door	Fits MCE-102 & 103
MCE-105-O-D	Spare Outer Door	Fits MCE-104 & 105
MCE-107-O-D	Spare Outer Door	Fits MCE-107
MCE-108-O-D	Spare Outer Door	Fits MCE-108
MCE-111-O-D	Spare Outer Door	Fits MCE-111
MCE-114-O-D	Spare Outer Door	Fits MCE-114
MCE-117-O-D	Spare Outer Door	Fits MCE-117
MCE-119-O-D	Spare Outer Door	Fits MCE-119
MCE-122-O-D	Spare Outer Door	Fits MCE-122 & 123
MCE-124-O-D	Spare Outer Door	Fits MCE-124 & 125
MCE-126-O-D	Spare Outer Door	Fits MCE-126, 127 & 128
MCE-129-O-D	Spare Outer Door	Fits MCE-129

KEYS & LOCKS

MCE-PK	Spare Panel Key for enclosure
MCE-PL	Spare Panel Lock for enclosure (Plastic)
MCE-PL-SS	Spare Panel Lock for enclosure (Stainless Steel)



MCE-101



MCE-125



KCM1-100-ENC



MCE-107-ID

- Powder coated, UV resistant mild steel kits.
- 1,6mm Steel thickness • Available in orange.
- Inner doors and kits only - Enclosures to be ordered separately • KEMA Approved.

IP65 SLOTTED INNER DOORS COMPLETE WITH MOUNTING PLATES & FITTINGS FOR DIN RAIL MCB'S

MCE-103-ID	300 x 250 8 way Inner Door	Orange
MCE-105-ID	300 x 300 8 Way Inner Door	Orange
MCE-107-ID	400 x 300 20 Way (2 x 10) Inner Door	Orange
MCE-108-ID	400 x 400 20 Way (2 x 10) Inner Door	Orange
MCE-111-ID	500 x 400 48 Way (3 x 16) Inner Door	Orange
MCE-114-ID	600 x 400 48 Way (3 x 16) Inner Door	Orange
MCE-117-ID	600 x 500 48 Way (3 x 16) Inner Door	Orange
MCE-119-ID	700 x 500 84 Way (4 x 21) Inner Door	Orange
MCE-122-ID	800 x 600 130 Way (5 x 26) Inner Door	Orange
MCE-124-ID	1000 x 600 156 Way (6 x 26) Inner Door	Orange
MCE-126-ID	1000 x 800 228 Way (6 x 38) Inner Door	Orange
MCE-129-ID	1200 x 800 304 Way (8 x 38) Inner Door	Orange

Earth and Neutral Bar not supplied

IP65 SOLID INNER DOORS COMPLETE WITH MOUNTING PLATES & FITTINGS

MCE-103-SID	300 x 250 Solid Inner Door	Orange
MCE-105-SID	300 x 300 Solid Inner Door	Orange
MCE-107-SID	400 x 300 Solid Inner Door	Orange
MCE-108-SID	400 x 400 Solid Inner Door	Orange
MCE-111-SID	500 x 400 Solid Inner Door	Orange
MCE-114-SID	600 x 400 Solid Inner Door	Orange
MCE-117-SID	600 x 500 Solid Inner Door	Orange
MCE-119-SID	700 x 500 Solid Inner Door	Orange
MCE-122-SID	800 x 600 Solid Inner Door	Orange
MCE-124-SID	1000 x 600 Solid Inner Door	Orange
MCE-126-SID	1000 x 800 Solid Inner Door	Orange
MCE-129-SID	1200 x 800 Solid Inner Door	Orange



MCE-124-SID



09201

IP55 MILD STEEL ENCLOSURES - SURFACE DISTRIBUTION BOARDS - WHITE

09201	326(H) x 465(W) x 115(D)	1 Row 16 Way
09202	476(H) x 465(W) x 115(D)	2 Row 32 Way
09203	626(H) x 465(W) x 115(D)	3 Row 48 Way
09204	776(H) x 465(W) x 115(D)	4 Row 64 Way
09205	926(H) x 465(W) x 115(D)	5 Row 80 Way
09206	1076(H) x 465(W) x 115(D)	6 Row 96 Way

Earth & Neutral bars on each row

IP55 MILD STEEL ENCLOSURES - FLUSH DISTRIBUTION BOARDS - WHITE

09191	326(H) x 465(W) x 115(D)	1 Row 16 Way
09192	476(H) x 465(W) x 115(D)	2 Row 32 Way
09193	626(H) x 465(W) x 115(D)	3 Row 48 Way
09194	776(H) x 465(W) x 115(D)	4 Row 64 Way
09195	926(H) x 465(W) x 115(D)	5 Row 80 Way
09196	1076(H) x 465(W) x 115(D)	6 Row 96 Way

Earth & Neutral bars on each row

IP55 MILD STEEL ENCLOSURES - DOUBLE DOOR SURFACE DISTRIBUTION BOARDS - WHITE OR ORANGE

092-200	1015(H) x 670(W) x 205(D)mm	4 x 12 Way DB
092-400	1015(H) x 880(W) x 205(D)mm	4 x 18 Way DB
092-630	1020(H) x 1100(W) x 205(D)mm	4 x 24 Way DB


Earth & Neutral bars on each row. Busbar not supplied.




092-200

- 304 Stainless steel enclosures
- 1,6mm Steel thickness
- Complete with accessories and protective wrapping to prevent scratches
- KEMA approved

IP56 STAINLESS STEEL SURFACE MOUNTING ENCLOSURES




MCE-101-SS



All enclosures come with a protective wrapping to prevent scratches.



MCE-124-SS



MCE-129-SS

Part Number	Dimensions mm (H) x (W) x (D)	Grade of Stainless Steel
MCE-101-SS	250 x 200 x 150	304
MCE-102-SS	300 x 250 x 150	304
MCE-103-SS	300 x 250 x 200	304
MCE-104-SS	300 x 300 x 150	304
MCE-105-SS	300 x 300 x 200	304
MCE-107-SS	400 x 300 x 200	304
MCE-108-SS	400 x 400 x 200	304
MCE-111-SS	500 x 400 x 250	304
MCE-114-SS	600 x 400 x 250	304
MCE-117-SS	600 x 500 x 250	304
MCE-119-SS	700 x 500 x 250	304
MCE-122-SS	800 x 600 x 250	304
MCE-123-SS	800 x 600 x 350	304
MCE-124-SS	1000 x 600 x 250	304
MCE-125-SS	1000 x 600 x 300	304
MCE-126-SS	1000 x 800 x 250	304
MCE-127-SS	1000 x 800 x 300	304
MCE-128-SS	1000 x 800 x 350	304
MCE-129-SS	1200 x 800 x 350	304

Complete with Chassis plate and Panel Key



STEEL ENCLOSURE

OL252015-O	ORANGE	250x200x150	STEEL ENCLOSURE
OL252015-G	GREY	250x200x150	STEEL ENCLOSURE
OL302515-O	ORANGE	300x250x150	STEEL ENCLOSURE
OL302515-G	GREY	300x250x150	STEEL ENCLOSURE



STEEL ENCLOSURE

OL302520-O	ORANGE	300x250x200	STEEL ENCLOSURE
OL302520-G	GREY	300x250x200	STEEL ENCLOSURE
OL403020-O	ORANGE	400x300x200	STEEL ENCLOSURE
OL403020-G	GREY	400x300x200	STEEL ENCLOSURE



STEEL ENCLOSURE

OL504025-O	ORANGE	500x400x250	STEEL ENCLOSURE
OL504025-G	GREY	500x400x250	STEEL ENCLOSURE
OL604025-O	ORANGE	600x400x250	STEEL ENCLOSURE
OL604025-G	GREY	600x400x250	STEEL ENCLOSURE
OL604030-O	ORANGE	600x400x300	STEEL ENCLOSURE
OL604030-G	GREY	600x400x300	STEEL ENCLOSURE
OL605025-O	ORANGE	600x500x250	STEEL ENCLOSURE
OL605025-G	GREY	600x500x250	STEEL ENCLOSURE
OL705025-O	ORANGE	700x500x250	STEEL ENCLOSURE
OL705025-G	GREY	700x500x250	STEEL ENCLOSURE
OL806025-O	ORANGE	800x600x250	STEEL ENCLOSURE
OL806025-G	GREY	800x600x250	STEEL ENCLOSURE



STEEL ENCLOSURE

OL806030-O	ORANGE	800x600x300	STEEL ENCLOSURE
OL806030-G	GREY	800x600x300	STEEL ENCLOSURE
OL806035-O	ORANGE	800x600x350	STEEL ENCLOSURE
OL806035-G	GREY	800x600x350	STEEL ENCLOSURE
OL108030-O	ORANGE	1000x800x300	STEEL ENCLOSURE
OL108030-G	GREY	1000x800x300	STEEL ENCLOSURE
OL108035-O	ORANGE	1000x800x350	STEEL ENCLOSURE
OL108035-G	GREY	1000x800x350	STEEL ENCLOSURE
OL128030-O	ORANGE	1200x800x300	STEEL ENCLOSURE
OL128030-G	GREY	1200x800x300	STEEL ENCLOSURE
OL128035-O	ORANGE	1200x800x350	STEEL ENCLOSURE
OL128035-G	GREY	1200x800x350	STEEL ENCLOSURE
OL128040-O	ORANGE	1200x800x400	STEEL ENCLOSURE
OL128040-G	GREY	1200x800x400	STEEL ENCLOSURE




FLOOR STANDING STEEL ENCLOSURE

OL9-1864-O	Orange floor stand Enclosure	1800 x 600 x 400
OL9-1884-O	Orange floor stand Enclosure	1800 x 800 x 400
OL9-2064-O	Orange floor stand Enclosure	2000 x 600 x 400
OL9-2084-O	Orange floor stand Enclosure	2000 x 800 x 400
OL9-2286-O	Orange floor stand Enclosure	2200 x 800 x 600



DOUBLE DOOR STEEL ENCLOSURE

OLD608025-O	Orange double door Enclosure	600 x 800 x 250
OLD601030-O	Orange double door Enclosure	600 x 1000 x 300
OLD601230-O	Orange double door Enclosure	600 x 1200 x 300
OLD801230-O	Orange double door Enclosure	800 x 1200 x 300
OLD121030-O	Orange double door Enclosure	1200 x 1000 x 300



DOUBLE DOOR STEEL ENCLOSURES - CANOPY

OLC8025	Canopy for enclosure	OLD 608025
OLC1030	Canopy for enclosure	OLD 601030, 121030
OLC1230	Canopy for enclosure	OLD 601230, 801230




STEEL ENCLOSURE WITH PLEXI GLASS DOOR

OLP403020-O	Orange Enclosure with Plexi Glass door	400 x 300 x 200
OLP504025-O	Orange Enclosure with Plexi Glass door	500 x 400 x 250
OLP604025-O	Orange Enclosure with Plexi Glass door	600 x 400 x 250
OLP705025-O	Orange Enclosure with Plexi Glass door	700 x 500 x 250
OLP806025-O	Orange Enclosure with Plexi Glass door	800 x 600 x 250
OLP108030-O	Orange Enclosure with Plexi Glass door	1000 x 800 x 300
OLP128030-O	Orange Enclosure with Plexi Glass door	1200 x 800 x 300



STEEL ENCLOSURE WITH PLEXI GLASS OUTER DOOR & SOLID INNER DOOR

OLPI403020-O	Orange Enclosure with Plexi Glass outer door & Solid Inner door	400 x 300 x 200
OLPI504025-O	Orange Enclosure with Plexi Glass outer door & Solid Inner door	500 x 400 x 250
OLPI604025-O	Orange Enclosure with Plexi Glass outer door & Solid Inner door	600 x 400 x 250
OLPI705025-O	Orange Enclosure with Plexi Glass outer door & Solid Inner door	700 x 500 x 250
OLPI806025-O	Orange Enclosure with Plexi Glass outer door & Solid Inner door	800 x 600 x 250
OLPI108030-O	Orange Enclosure with Plexi Glass outer door & Solid Inner door	1000 x 800 x 300
OLPI128030-O	Orange Enclosure with Plexi Glass outer door & Solid Inner door	1200 x 800 x 300



STEEL ENCLOSURES - CANOPY

OLC2015	Canopy for enclosure	OL/OLP 302015
OLC3020	Canopy for enclosure	OL/OLP/OLPI 403020
OLC4025	Canopy for enclosure	OL/OLP/OLPI 504025, 604025
OLC5025	Canopy for enclosure	OL/OLP/OLPI 705025
OLC6025	Canopy for enclosure	OL/OLP/OLPI 806025
OLC8030	Canopy for enclosure	OL/OLP/OLPI 108030, 128030