


**12W LED ROUND BULKHEAD FITTING
WITH HALO ACCENT**



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 12W LED (80lm per watt), Cool White ($\pm 6000\text{K}$), IP65, **BLACK, GREY & WHITE FITTINGS**



OL-BRA12 / OL-GRA12 / OL-WRA12




**20W LED ROUND BULKHEAD FITTING
WITH HALO ACCENT**



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 20W LED (80lm per watt), Cool White ($\pm 6000\text{K}$), IP65, **BLACK, GREY & WHITE FITTINGS**



OL-BRA20 / OL-GRA20 / OL-WRA20




**10W LED ELLIPTICAL
BULKHEAD FITTING**



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 10W LED (80lm per watt), Cool White ($\pm 6000\text{K}$), IP65, **BLACK, GREY & WHITE FITTINGS**



OL-BE10 / OL-GE10 / OL-WE10




**20W LED ELLIPTICAL
BULKHEAD FITTING**



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 20W LED (80lm per watt), Cool White ($\pm 6000\text{K}$), IP65, **BLACK, GREY & WHITE FITTINGS**



OL-BE20 / OL-GE20 / OL-WE20




**20W LED RECTANGULAR
BULKHEAD FITTING**



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 20W LED (80lm per watt), Cool White ($\pm 6000\text{K}$), IP65, **BLACK, GREY & WHITE FITTINGS**



OL-BRECA / OL-GRECA / OL-WRECA





WALL LIGHT FITTINGS


GU10 UP & DOWN WALL FITTING



Die Cast Aluminium, Clear Glass Diffuser, GU10 x2
(Max 35W) **Lamps not included, IP54, BLACK FITTING**



BL91072




SIZE:


GU10 DOWN WALL FITTING



Die Cast Aluminium, Clear Glass Diffuser, GU10 x1
(Max 35W) **Lamps not included, IP54, BLACK FITTING**



BL91073



SIZE:


GU10 ADJUSTABLE WALL FITTING



Round, Die Cast Aluminium, Clear Glass Diffuser,
AC220-240VAC, 1 x GU10 (Max 35W), IP54,
Lamp not included, BLACK FITTING



BL91390



SIZE:


GU10 UP & DOWN WALL FITTING



Round, Die Cast Aluminium, Clear Glass Diffuser,
AC220-240VAC, 2 x GU10 (Max 35W), IP54,
Lamp not included, BLACK FITTING



BL91392



SIZE:

GU10 CEILING FITTING



Round, Die Cast Aluminium, Clear Glass Diffuser, AC220-240VAC, 1 x GU10 (Max 35W), IP65, **Lamp not included, BLACK FITTING**



BL91809

SIZE:



GU10 CEILING FITTING



Round, Die Cast Aluminium, Clear Glass Diffuser, AC220-240VAC, 1 x GU10 (Max 35W), IP65, **Lamp not included, BLACK FITTING**



BL91810

SIZE:



GU10 WALL FITTING



Rectangular, Die Cast Aluminium, Clear Glass Diffuser, AC220-240VAC, 1 x GU10 (Max 35W), IP65, **Lamp not included, BLACK FITTING**



BL91797

SIZE:



10W ROUND LED WALL FITTING




Die Cast Aluminium, UV Stabilized Opal PC Diffuser, AC220-240VAC, 10W LED (80lm per watt), Warm White ($\pm 3000K$), IP54, **BLACK FITTING**



BL91683-LED

SIZE:





10W SQUARE HALO LED WALL FITTING




Die Cast Aluminium, Clear Glass Diffuser, AC220-240VAC, 10W LED (80lm per watt), Warm White ($\pm 3000\text{K}$), IP54, **BLACK FITTING**



BL91601-LED

SIZE:



WALL FITTING




Stainless Steel + Plastic, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamp not included, BLACK FITTING**



BL-SS901A

SIZE:



WALL FITTING




Stainless Steel + Plastic, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamp not included, BLACK FITTING**



BL-SS901D

SIZE:




WALL FITTING

Stainless Steel + Plastic, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamp not included, BLACK FITTING**



BL-SS901E

SIZE:






WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK FITTING**



BL314



SIZE:


WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK FITTING**



BL319



SIZE:


WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 15W), IP54, **Lamps not included, BLACK FITTING**



BL325



SIZE:


WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 2 x E27 (CFL Max 15W), IP54, **Lamps not included, BLACK FITTING**



BL326




SIZE:


WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK FITTING**



BL320



SIZE:




WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK FITTING**



BL008C



SIZE:


WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK & GREY FITTINGS**



BL398 / GR398



SIZE:


WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK FITTING**



BL402



SIZE:


WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK FITTING**



BL451



SIZE:



ROUND BULKHEAD FITTING




Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 2 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK & GREY FITTINGS**



GR155A / BL155A



BL155B / GR155B



LARGE RECTANGULAR BULKHEAD FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 2 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK & GREY FITTINGS**




BL017/ GR017



GR018 / BL018



BL018A / GR018A



SIZE:

SIZE:

WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 15W), IP54, **Lamps not included, BLACK FITTINGS**




BL421S



BL424S



BL425S



SIZE:



ROUND GROUND FITTING




Round, Die Cast Aluminium + Stainless Steel, Clear Glass Diffuser, AC100-240VAC, **1 x GU10** (Max 35W), IP67, **Lamp not included, SILVER FITTING**



BL36103

SIZE:



***Use Flat Lens GU10 Lamp Only**

SQUARE GROUND FITTING




Square, Die Cast Aluminium + Stainless Steel, Clear Glass Diffuser, AC100-240VAC, **1 x GU10** (Max 35W), IP67, **Lamp not included, SILVER FITTING**



BL36503

SIZE:



***Use Flat Lens GU10 Lamp Only**



ELLIPTICAL BULKHEAD FITTING




Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 15W), IP54, **Lamps not included, BLACK FITTINGS**



BL101S



BL104S




HALF ROUND RECTANGULAR BULKHEAD FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, 1 x E27 (CFL Max 15W), IP54, **Lamps not included, BLACK & GREY FITTINGS**



BL012 / GR012






LANTERN WALL FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, **1 x E27** (Max 20W), IP33, **Lamps not included, BLACK FITTING**



BL011



SIZE:


LANTERN WALL FITTING



Die Cast Aluminium, Clear Glass Diffuser, **1 x E27** (Max 20W), IP33, **Lamps not included, BLACK & WHITE FITTINGS**



BL9012 / WH9012



SIZE:


LANTERN WALL FITTING



Die Cast Aluminium, Clear Glass Diffuser, **1 x E27** (Max 20W), IP33, **Lamps not included, BLACK FITTING**



BL9013



SIZE:

LANTERN FITTING



Die Cast Aluminium, Clear Glass Diffuser, **1 x E27** (Max 20W), IP33, **Lamps not included, BLACK FITTING**



BL4015



SIZE:


LANTERN FITTING



Die Cast Aluminium, Clear Glass Diffuser, 1 x E27
(Max 20W), IP33, **Lamps not included,**
BLACK & WHITE FITTINGS



BLO02S / WH002S



SIZE:

LANTERN FITTING



Die Cast Aluminium, Clear Glass Diffuser, 1 x E27
(Max 20W), IP33, **Lamps not included,**
BLACK FITTING



BLO04S



SIZE:




BULKHEAD WALL FITTINGS



Flame Retardant ABS Body, UV Stabilized Opal PC Diffuser, **1 x E27** (CFL Max 15W) IP54, **Lamps not included, BLACK FITTINGS**



BLP3002
230



SIZE:

134

RECESSED STEP LIGHT




Die Cast Aluminium, Tempered Glass Diffuser, **1 x E27** (CFL Max 15W) IP54, **Lamps not included, COMPLETE WITH PVC WALL BOX**



PVC WALL BOX.

BL3261



SIZE:


ROUND PLASTIC FITTING



PLASTIC, Tempered Glass Diffuser **1 x E27** (CFL Max 15W), IP54, **Lamps not included, BLACK FITTING**



BLP1001L



SIZE:


SQUARE BULKHEAD FITTING



Die Cast Aluminium, UV Stabilized Opal PC Diffuser, **1 x E27** (CFL Max 20W), IP54, **Lamps not included, BLACK & WHITE FITTINGS**



BL3410L / WH3410L



SIZE:




SMALL ELLIPTICAL BULKHEAD FITTING



Die Cast Aluminium, Frosted Glass Diffuser, 1 x E27 (6U 90mm CFL Mini Max 8W), IP54, **Lamps not included, BLACK & WHITE FITTINGS**



WH2001L / BL2001L WH2002S / BL2002S




LARGE ROUND BULKHEAD FITTING



Die Cast Aluminium, Frosted Glass Diffuser, 1 x E27 (CFL Max 20W), IP54, **Lamps not included, BLACK & WHITE FITTINGS**



BL1001L/WH1001L BL1002L/WH1002L



8W LED FLAT ROUND BULKHEAD FITTING




ABS Body, HIPS Diffuser, 8W LED (80lm per watt), AC200-240VAC, Cool White ($\pm 6500\text{K}$), 120° Beam angle, IP54, **WHITE FITTING**



OL-WR-F8W

SIZE:



12W LED FLAT ROUND BULKHEAD FITTING




ABS Body, HIPS Diffuser, 12W LED (80lm per watt), AC200-240VAC, Cool White ($\pm 6500\text{K}$), 120° Beam angle, IP54, **WHITE FITTING**



OL-WR-F12W

SIZE:



12W LED ROUND BULKHEAD FITTING




ABS Body, HIPS Diffuser, 12W LED (100lm per watt), AC85-265VAC, Cool White ($\pm 6500\text{K}$), 120° Beam angle, IP54, **WHITE FITTING**



OL-WRBU-12W

SIZE:



20W LED ROUND BULKHEAD FITTING




ABS Body, HIPS Diffuser, 20W LED (112,5lm per watt), AC85-265VAC, Cool White ($\pm 6500\text{K}$), 120° Beam angle, IP54, **WHITE FITTING**



OL-WRBU-20W

SIZE:




12W LED ELLIPTICAL BULKHEAD FITTING



ABS Body, HIPS Diffuser, 12W LED (100lm per watt), AC85-265VAC, Cool White ($\pm 6500\text{K}$), 120° Beam angle, IP54, **WHITE FITTING**



OL-WHO-12W




20W LED ELLIPTICAL BULKHEAD FITTING



ABS Body, HIPS Diffuser, 20W LED (112.5lm per watt), AC85-265VAC, Cool White ($\pm 6500\text{K}$), 120° Beam angle, IP54, **WHITE FITTING**



OL-WHO-20W






12W LED ROUND BULKHEAD FITTING 

UV Stabilised Flame Retardant Polycarbonate, Opal PC Diffuser, 12W LED (80lm per watt), Cool White, ($\pm 6000\text{K}$), IP66, **BLACK, GREY & WHITE FITTINGS**



OL-BR-LED / OL-GR-LED / OL-WR-LED

SIZE:




12W LED SQUARE BULKHEAD FITTING 

UV Stabilised Flame Retardant Polycarbonate, Opal PC Diffuser, 12W LED (80lm per watt), Cool White ($\pm 6000\text{K}$), IP66, **BLACK, GREY & WHITE FITTINGS**



OL-BS-LED / OL-GS-LED / OL-WS-LED

SIZE:



E27 ROUND BULKHEAD FITTING



UV Stabilised Flame Retardant Polycarbonate, Opal PC Diffuser, **E27 x 1** (CFL Max 20W), IP66, **BLACK, GREY & WHITE FITTINGS**




OL-BR/ OL-GR / OL-WR

E27 ROUND EYELID BULKHEAD FITTING



OL-BRE/ OL-GRE / OL-WRE



E27 SQUARE BULKHEAD FITTING



UV Stabilised Flame Retardant Polycarbonate, Opal PC Diffuser, **E27 x 2** (CFL Max 11W), IP66, **BLACK, GREY & WHITE FITTINGS**




OL-BS/ OL-GS / OL-WS

E27 SQUARE EYELID BULKHEAD FITTING



OL-BSE/ OL-GSE / OL-WSE





E27 OVAL BULKHEAD FITTING



UV Stabilised Flame Retardant Polycarbonate, Opal PC Diffuser, **E27 x 1** (CFL Max 20W), IP66, **BLACK, GREY & WHITE FITTINGS**



OL-BHO / OL-GHO / OL-WHO

E27 OVAL HORIZONTAL EYELID BULKHEAD FITTING




OL-BOEH / OL-GOEH / OL-WOEH

E27 OVAL VERTICAL EYELID BULKHEAD FITTING



OL-BOEV / OL-GOEV / OL-WOEV



OFFSET MOUNTING BRACKET FOR ROUND & OVAL FITTINGS



OL-Bracket-B

Bracket for offset wall mounting Black

OL-Bracket-W

Bracket for offset wall mounting White



HALF MOON ALABASTER FITTING




Iron Fitting, Frosted Glass Diffuser, 1 x E27
(Max 60W), IP20, **Lamps not included**



OL-ABA001

SIZE:



FULL MOON ALABASTER FITTING




Iron Fitting, Frosted Glass Diffuser, 2 x E27
(Max 60W), IP20, **Lamps not included**



OL-ABA002

SIZE:



FULL MOON ALABASTER FITTING




Iron Fitting, Frosted Glass Diffuser, 3 x E27
(Max 60W), IP20, **Lamps not included**



OL-ABA003

SIZE:





NEW!

12W LED FLICKER FREE CONVERSION KIT



12W LED (90lm per Watt), AC110-220VAC, 240°
Beam angle, **COOL WHITE ($\pm 6000K$) - NON DIMMABLE**



OL-FFCK-12W

NEW!

18W LED FLICKER FREE CONVERSION KIT



18W LED (90lm per Watt), AC110-220VAC, 240°
Beam angle, **COOL WHITE ($\pm 6000K$) - NON DIMMABLE**



OL-FFCK-18W

NEW!

24W LED FLICKER FREE CONVERSION KIT



24W LED (90lm per Watt), AC110-220VAC, 240°
Beam angle, **COOL WHITE ($\pm 6000K$) - NON DIMMABLE**



OL-FFCK-24W

NEW!

36W LED FLICKER FREE CONVERSION KIT



36W LED (90lm per Watt), AC110-220VAC, 240°
Beam angle, **COOL WHITE ($\pm 6000K$) - NON DIMMABLE**





OL-FFCK-36W





EASY MAGNETIC INSTALLATION

- High illumination
- Low illumination decay
- Low led temperature

- 

1. Power off, remove the cover, & remove the lamp, ballast, retaining spring, screws & other parts.
- 

2. Place the LED conversion kit magnet upward & horizontally in the center of the chassis & align the conversion kits wires with the direction of the hole on the chassis.
- 

3. Adjust the proper length off the cable entry hole of the chassis, connect the power supply & insulate.
- 

4. After checking that the lamp is installed correctly, install the cover & then turn on the power supply.

5W LED E27 LIGHT BULB




5W LED (80lm per Watt), AC100-240VAC, 230°
 Beam angle, **COOL WHITE ($\pm 6000\text{K}$) &**
WARM WHITE ($\pm 2800\text{K}$) - NON DIMMABLE



LED2E27-5W-CW / LED2E27-5W-WW

SIZE:



9W LED E27 LIGHT BULB




9W LED (80lm per Watt), AC100-240VAC, 230°
 Beam angle, **COOL WHITE ($\pm 6000\text{K}$) &**
WARM WHITE ($\pm 2800\text{K}$) - NON DIMMABLE



LED2E27-9W-CW / LED2E27-9W-WW

SIZE:



5W LED B22 LIGHT BULB




5W LED (80lm per Watt), AC100-240VAC, 230°
 Beam angle, **COOL WHITE ($\pm 6000\text{K}$) &**
WARM WHITE ($\pm 2800\text{K}$) - NON DIMMABLE



LED3B22-5W-CW / LED3B22-5W-WW

SIZE:



9W LED B22 LIGHT BULB




9W LED (80lm per Watt), AC100-240VAC, 230°
 Beam angle, **COOL WHITE ($\pm 6000\text{K}$) &**
WARM WHITE ($\pm 2800\text{K}$) - NON DIMMABLE



LED3B22-9W-CW / LED3B22-9W-WW

SIZE:



11W G95 LED E27 LIGHT BULB




11W LED (1000lm), AC100-240VAC, 230° Beam angle, **COOL WHITE (±6000K) & WARM WHITE (±2800K) - NON DIMMABLE**



LEDG95-11W-CW / LEDG95-11W-WW

SIZE:



18W G120 LED E27 LIGHT BULB




18W LED (1550lm), AC100-240VAC, 230° Beam angle, **COOL WHITE (±6000K) & WARM WHITE (±2800K) - NON DIMMABLE**



LEDG120-18W-CW / LEDG120-18W-WW

SIZE:



4W LED E14 CANDLE LIGHT BULB




4W LED (240lm), AC100-240VAC, 160° Beam angle, **COOL WHITE (±6000K) & WARM WHITE (±2800K) - NON DIMMABLE**



LED1E14-4W-CW / LED1E14-4W-WW

SIZE:



6W LED E27 CANDLE LIGHT BULB




6W LED (400lm), AC100-240VAC, 160° Beam angle, **COOL WHITE (±6000K) & WARM WHITE (±2800K) - NON DIMMABLE**



LED1E27-6W-CW / LED1E27-6W-WW

SIZE:



SIZE:

4W LED GU10 SPOTLIGHT




4W LED (80lm per Watt), AC100-240VAC, 120° Beam angle, **COOL WHITE ($\pm 6000K$), NATURAL WHITE, ($\pm 4000K$) & WARM WHITE ($\pm 2800K$) - NON DIMMABLE**



LEDGU10-4W-CW / LEDGU10-4W-NW / LEDGU10-4W-WW

SIZE:



6W LED GU10 SPOTLIGHT




6W LED (80lm per Watt), AC100-240VAC, 120° Beam angle, **COOL WHITE ($\pm 6000K$), NATURAL WHITE, ($\pm 4000K$) & WARM WHITE ($\pm 2800K$) - NON DIMMABLE**



LEDGU10-6W-CW / LEDGU10-6W-NW / LEDGU10-6W-WW

SIZE:



3 PACK 4W LED GU10 SPOTLIGHT




3 x 4W LED (80lm per Watt), AC100-240VAC, 120° Beam angle, **COOL WHITE ($\pm 6000K$) & WARM WHITE ($\pm 2800K$) - NON DIMMABLE**



LEDGU10-4W-CW-3 / LEDGU10-4W-WW-3

SIZE:



6W LED GU10 DIMMABLE SPOTLIGHT




6W LED (80lm per Watt), AC220-240VAC, 120° Beam angle, **COOL WHITE ($\pm 6000K$) & WARM WHITE ($\pm 2800K$) DIMMABLE**
To be used in conjunction with the Onesto Dimmer Range on Pg. 94



GU10DIM-6W-CW / GU10DIM-6W-WW

SIZE:



*Pendant
Lamp
Holder*



BLACK PENDANT LAMP HOLDER




900mm Cable (2 x 0.75m²), E27 (100W Max),
250VAC, **BLACK ALUMINIUM**



OL-PEND-BK

SIZE:



GUN METAL PENDANT LAMP HOLDER




900mm Cable (2 x 0.75m²), E27 (100W Max),
250VAC, **GUN METAL ALUMINIUM**



OL-PEND-DN

SIZE:



GOLD COPPER PENDANT LAMP HOLDER




900mm Cable (2 x 0.75m²), E27 (100W Max),
250VAC, **GOLD COPPER ALUMINIUM**



OL-PEND-GC

SIZE:



ROSE GOLD PENDANT LAMP HOLDER




900mm Cable (2 x 0.75m²), E27 (100W Max),
250VAC, **ROSE GOLD ALUMINIUM**



OL-PEND-RG

SIZE:



FLAT BLACK PENDANT LAMP HOLDER




900mm Twisted Cable (2 x 0.75m²), E27 (100W Max), 250VAC, **BLACK ALUMINIUM**



OL-PEND-BK-TF

SIZE:



FLAT GUN METAL PENDANT LAMP HOLDER




900mm Twisted Cable (2 x 0.75m²), E27 (100W Max), 250VAC, **GUN METAL ALUMINIUM**



OL-PEND-DN-TF

SIZE:



FLAT GOLD COPPER PENDANT LAMP HOLDER




900mm Twisted Cable (2 x 0.75m²), E27 (100W Max), 250VAC, **GOLD COPPER ALUMINIUM**



OL-PEND-GC-TF


SIZE:



FLAT ROSE GOLD PENDANT LAMP HOLDER




900mm Twisted Cable (2 x 0.75m²), E27 (100W Max), 250VAC, **ROSE GOLD ALUMINIUM**



OL-PEND-RG-TF

SIZE:



NEW!


ROUND 3 PIECE PENDANT LAMP HOLDER



3 x 900mm Cables (2 x 0.75m²), 3 x E27 (100W Max), 250VAC, **BLACK ALUMINIUM**



OL-PEND-RND-BK



SIZE:

NEW!


RECTANGULAR 3 PIECE PENDANT LAMP HOLDER



3 x 900mm Cable (2 x 0.75m²), 3 x E27 (100W Max), 250VAC, **BLACK ALUMINIUM**



OL-PEND-RECT-BK



SIZE:





-lite[®]

creating a green legacy



4W LED E27 FILAMENT BULB




4W LED, A60, Transparent & Grey,
AC100-240VAC, Spiral Filament, **WARM WHITE**
(±2800K) - **DIMMABLE**



OL-A60-4W-D-T / OL-A60-4W-D-GY

SIZE:



8W LED E27 FILAMENT BULB




8W LED, A60, Transparent & Grey,
AC100-240VAC, Straight Filament, **WARM WHITE**
(±2800K) - **DIMMABLE**



OL-A60-8W-D-T / OL-A60-8W-D-GY

SIZE:



8W LED E27 FILAMENT BULB




8W LED, ST64, Transparent, Gold & Grey,
AC100-240VAC, Straight Filament, **WARM WHITE**
(±2800K) - **DIMMABLE**



**OL-ST64-8W-D-T / OL-ST64-8W-D-GD/
OL-ST64-8W-D-GY**

SIZE:



5W LED E27 FILAMENT BULB




5W LED, G80, Transparent, Gold & Grey,
AC100-240VAC, Spiral Filament, **WARM WHITE**
(±2800K) - **DIMMABLE**



**OL-G80-5W-D-T / OL-G80-5W-D-GD/
OL-G80-5W-D-GY**

SIZE:



5W LED E27 FILAMENT BULB 

5W LED, G95, Transparent, Gold & Grey
AC100-240VAC, Straight Filament, **WARM WHITE**
(±2800K) - **DIMMABLE**



**OL-G95-5W-D-T / OL-G95-5W-D-GD/
OL-G95-5W-D-GY**

SIZE:



5W LED E27 FILAMENT BULB 


5W LED, G125, Transparent, Gold & Grey
AC100-240VAC, Spiral Filament, **WARM WHITE**
(±2800K) - **DIMMABLE**




**OL-G125-5W-D-T / OL-G125-5W-D-GD/
OL-G125-5W-D-GY**

SIZE:




NEW! **5W LED E27 FILAMENT BULB** 

5W LED, G200, Gold & Grey, AC100-240VAC,
Spiral Filament, **WARM WHITE** (±2800K) -
DIMMABLE



OL-G200-4W-D-GD / OL-G200-4W-D-GY

SIZE:



NEW! **5W LED E27 FILAMENT BULB** 

5W LED, PS40, Gold & Grey, AC100-240VAC,
Spiral Filament, **WARM WHITE** (±2800K) -
DIMMABLE



OL-PS40-4W-D-GD / OL-PS40-4W-D-GY

SIZE:



NEW!

4W LED E27 FILAMENT BULB




4W LED, PS165, Gold & Grey, AC100-240VAC, Straight Filament, **WARM WHITE ($\pm 2800\text{K}$) - DIMMABLE**



OL-PS165-4W-D-GD / OL-PS165-4W-D-GY

SIZE:



NEW!

4W LED E27 FILAMENT BULB




4W LED, C120, Gold & Grey, AC100-240VAC, Spiral Filament, **WARM WHITE ($\pm 2800\text{K}$) - DIMMABLE**



OL-C120-4W-D-GD / OL-C120-4W-D-GY

SIZE:



NEW!

4W LED E27 FILAMENT BULB



4W LED, TT75, Gold & Grey, AC100-240VAC, Straight Filament, **WARM WHITE ($\pm 2800\text{K}$) - DIMMABLE**



OL-TT75-4W-D-GD / OL-TT75-4W-D-GY

SIZE:

